

education

Department:
Education
PROVINCE OF KWAZULU-NATAL

NATIONAL SENIOR CERTIFICATE

GRADE 10

MATHEMATICS
COMMON TEST
MARCH 2019

MARKS:

75

TIME:


11/2 hours

This question paper consists of 6 pages.

INSTRUCTIONS AND INFORMATION

Read the following instructions carefully before answering the questions.

- 1. This question paper consists of 8 questions.
- 2. Answer ALL the questions.
- 3. Clearly show ALL calculations, diagrams, graphs, etc. which you have used in determining your answers.
- 4. Answers only will NOT necessarily be awarded full marks.
- 5. You may use an approved scientific calculator (non-programmable and non-graphical), unless stated otherwise.
- 6. If necessary, round off answers correct to TWO decimal places, unless stated otherwise.
- 7. Diagrams are NOT necessarily drawn to scale.
- 8. Write neatly and legibly.



NATIONAL SENIOR CERTIFICATE: COMMON TEST: MARCH 2019

TO:

THE CHIEF INVIGILATOR OF ALL SCHOOLS OFFERING

MATHEMATICS: GRADE 10

ERRATA

Please take note of the following change:

Page	ERROR	CORRECTION
Page 6 (O 8.2)	In the diagram below $PQ = Q = MN$, $OM P PN$ and	In the diagram below $PQ = QM = MN$, OM / PN and

Kindly ensure that candidates are informed of the Errata.

MS E. COETZEE

ASSISTANT DIRECTOR

PROVINCIAL EXAMINATION

4/3/2019

... Championing Quality Education-Creating and Securing a Brighter Future

OUESTION 1

1.1 Factorise the following expressions fully:

$$1.1.1 6x^2 + 7x - 20 (2)$$

$$1.1.2 x^3 + x^2 - x - 1 (3)$$

1.2 Simplify the following expressions fully:

1.2.1
$$(2x+3)(5-x)$$
 (3)

$$1.2.2 (xy^3 - 3)(x^2y^6 + 3xy^3 + 9) (2)$$

$$\frac{3^{2x-1}.5^{x-3}}{45^{x-2}} \tag{4}$$

[14]

QUESTION 2

Determine, without the use of a calculator, the value of x in each of the following:

$$2.1 (x-3)(x+2) = 0 (2)$$

$$2.2 11 \times 3^{2x+1} = 297 (3)$$

$$\frac{4x^2 - 3x - 1}{4x + 1} + \frac{x^3 + 1}{x^2 - x + 1} = 2 \tag{5}$$

$$2.4 \pi x^2 h = V (2)$$

QUESTION 3

3.1 Rewrite 0,45 as a common fraction, in simplest form. (1)

3.2 Given:
$$P = \sqrt{\frac{-20x}{1-3x}}$$
; where $x \in R$

3.2.1 For which value(s) of
$$x$$
 is P undefined? (2)

3.2.2 If
$$x = 7$$
, determine between which two integers P lies. (2)

The larger of two consecutive integers is represented by
$$x + 3$$
.

Determine an expression which represents the smaller integer. (1)

OUESTION 4

4.1 Solve for x and y simultaneously:

$$4x = 10 - 3y y + 2x = 6$$
 (5)

- 4.2 The following inequality is given: $-9 \le 2x + 3 < 5$; where $x \in R$
 - 4.2.1 Solve for x in the inequality. (3)
 - 4.2.2 Represent your answer to QUESTION 4.2.1 on a number line. (1)
 - 4.2.3 Write your answer to QUESTION 4.2.1 in interval notation. (1)
- 4.3 The mean of three numbers is 25. The second number is four less than twice the first. The third number is two more than four times the first.


(Hint: Let the smallest number be x)

Calculate the numerical value of the smallest number. (4)

[14]

QUESTION 5

Study the diagram below and calculate the unknown angles w, x, y and z. Give reasons for your statements.



[4]

QUESTION 6

- 6.1 Complete the following statements:
 - 6.1.1 A quadrilateral with two pairs of adjacent sides equal is a (1)
 - 6.1.2 A quadrilateral with both pairs of opposite sides parallel is a (1)
- Which quadrilateral has diagonals that always bisect its angles and also bisect each other?

(1)

6.3 Given the following three quadrilaterals: a rectangle, a rhombus and a kite.

Which of these quadrilaterals do not have perpendicular diagonals? (1)


[4]

Give reasons for your statements in QUESTIONS 7 and 8.

QUESTION 7

7.1 In the sketch below, EFGH is a parallelogram.

$$F\hat{K}E = 75^{\circ}$$
; $E\hat{F}K = 4x$; $F\hat{G}K = 2x$ and $K\hat{G}H = 3x$.




7.1.1 Calculate the value of x. (3)

7.1.2 Calculate the size of \widehat{GHE} . (2)

7.2 In the diagram ABCD is a parallelogram with diagonals intersecting at P.

AY and CX are drawn such that BY = DX.




Prove that AYCX is a parallelogram.

(3) [8]


QUESTION 8

8.1 The sketch below shows rectangle ABCD with points F and E drawn such that AFCE is a rhombus.



If it is further given that AB = 16cm and BC = 12cm, calculate the length of CF. (7)

In the diagram below PQ = QM = MN, QM PPN and $\hat{LPN} = \hat{LNP}$.



8.2.1 Show that
$$MP$$
 bisects \hat{P} . (Hint: let $\hat{P}_1 = x$) (3)

8.2.2 Prove that
$$\Delta PRN \parallel \Delta QRM$$
. (3)

TOTAL:

[13]

75