

NATIONAL SENIOR CERTIFICATE

GRADE 11

NOVEMBER 2013

LIFE SCIENCES P1 MEMORANDUM

MARKS: 150

This memorandum consists of 7 pages.

SECTION A

QUESTION 1

1.1	1.1.1	A✓✓	1.2	1.2.1	Emigration ✓	
	1.1.2	B√√		1.2.2	Interspecific competition ✓	
	1.1.3	C✓✓		1.2.3	(Dilute) lodine solution ✓	
	1.1.4	B√√		1.2.4	Photolysis ✓	
	1.1.5	A✓✓		1.2.5	Glycolysis ✓	
	1.1.6	D√√		1.2.6	Oxidative phosphorylation ✓	
	1.1.7	D✓✓		1.2.7	Pleural membranes ✓	
	1.1.8	A✓✓		1.2.8	Egestion/Defecation √ (8 x 1)	(8)
	1.1.9	C ✓✓ (9 x 2) (18)				, ,
1.3	1.3.1	B only√√		1.3.6	None √√]

1.3	1.3.1	B only√√	1.3.6	None ✓✓		
	1.3.2	A only √√	1.3.7	None ✓ ✓		
	1.3.3	A only ✓✓	1.3.8	A only√√		
	1.3.4	B only √√	1.3.9	None ✓✓		
	1.3.5	A only √√			(9 x 2)	(18)

- 1.4 1.4.1 (a) **Graph 1** ✓ (Buffalo City Metropolitan Municipal area)
 - The base of the age pyramid is wide but becomes narrow towards the top. ✓/ This indicates that there are a high proportion of individuals in the younger age group. ✓
 - When they grow up and reproduce the population will increase in size. √ (Any 2)
 - (b) **Graph 2** ✓ (Population in Germany)
 - The pre-reproductive age group is smaller than the reproductive or the post-reproductive age group. ✓
 - As the older individuals die, fewer of the younger individuals would replace them and hence the population would decline. ✓

(Any 2) (2)

(2)

- Age pyramids are useful in predicting whether the population will increase, decrease or remain constant in the future. ✓
 - This information is very useful in planning for schools, housing needs, social welfare, medical services, provision of resources and creating employment. √

TOTAL SECTION A: 50


SECTION B

QUESTION 2

2.1.1	The graph showing the size of an impala population between 1952 and 1985. ✓	(1)
2.1.2	A – Establishment phase/Lag phase ✓ B – Accelerating growth phase/Log phase/Exponential growth phase. ✓	(2)
2.1.3	 (a) Growth phase A Population size is small. ✓ Population is adapting to its environment. ✓ Young population with few reproducing animals. (Not sexually matured to reproduce) ✓ Some cannot find a mating partner when the population density is low. ✓ (Any 2) 	(2)
	 (b) Growth phase B Birth rate is higher than the death rate. ✓ Little or no limiting factors. ✓ Conditions for growth are highly favourable. (Sufficient food and water supply, limited competition for resources) ✓ High number of reproductive population. ✓ (Any 2) 	(2)
2.1.4	The carrying capacity of the habitat ✓	(1)
2.1.5	 Aerial photography ✓ Counting ✓ (Any 1) 	(1)
2.1.6	 Competition ✓ Food shortage ✓ Territoriality ✓ Diseases ✓ (Any 2) 	(2)
2.1.7	 The size of the impala population fluctuates around the carrying capacity of the habitat. ✓ Whenever the population size grows beyond the carrying capacity of the habitat, it is dropped below the carrying capacity by the environmental resistance. ✓ When conditions improve the population increases. ✓ (Any 2) 	(2)
2.2.1	To investigate the effect of light intensity on the rate of photosynthesis. \checkmark	(1)
2.2.2	To increase the concentration of CO_2 in the water. \checkmark	(1)
2.2.3	Oxygen ✓	(1)
2.2.4	A glowing splint glows brighter ✓ (re-kindles) when inserted in to a test tube containing oxygen. ✓	(2)
2.2.5	 Amount of CO₂ ✓ Temperature of the water ✓ 	(2)
	2.1.2 2.1.3 2.1.4 2.1.5 2.1.6 2.1.7 2.2.1 2.2.2 2.2.3 2.2.4	2.1.2 A – Establishment phase/Lag phase ✓ B – Accelerating growth phase/Log phase/Exponential growth phase. ✓ 2.1.3 (a) Growth phase A • Population size is small. ✓ • Population is adapting to its environment. ✓ • Young population with few reproducing animals. (Not sexually matured to reproduce) ✓ • Some cannot find a mating partner when the population density is low. ✓ (Any 2) (b) Growth phase B • Birth rate is higher than the death rate. ✓ • Little or no limiting factors. ✓ • Conditions for growth are highly favourable. (Sufficient food and water supply, limited competition for resources) ✓ • High number of reproductive population. ✓ (Any 2) 2.1.4 The carrying capacity of the habitat ✓ 2.1.5 • Aerial photography ✓ • Counting ✓ (Any 1) 2.1.6 • Competition ✓ • Food shortage ✓ • Territoriality ✓ • Diseases ✓ (Any 2) 2.1.7 • The size of the impala population fluctuates around the carrying capacity of the habitat. ✓ • Whenever the population size grows beyond the carrying capacity of the habitat. ✓ • Whenever the population size grows beyond the carrying capacity of the habitat. ✓ • Whenever the population size grows beyond the carrying capacity of the habitat. ✓ • Whenever the population size grows beyond the carrying capacity of the habitat. ✓ • Whenever the population size grows beyond the carrying capacity of the habitat. ✓ • When conditions improve the population increases. ✓ 2.2.1 To increase the concentration of CO₂ in the water. ✓ 2.2.2 Oxygen ✓ 2.2.3 Oxygen ✓ 2.2.4 A glowing splint glows brighter ✓ (re-kindles) when inserted in to a test tube containing oxygen. ✓ 2.2.5 • Amount of CO₂ ✓

2.2.6

Number of air bubbles formed at various distances



Mark allocation	on for the graph		
Correct type of graph			
Title of graph			ĺ
Correct label and units for X-axis			ĺ
Correct label and units for Y-axis			ĺ
Appropriate scale for Y-axis			ĺ
	1 – 4 points plotted correctly	1	ĺ
Drawing of the graph	5 – 8 points plotted correctly	2	İ
	9 – 11 points plotted correctly	3	İ
 Temperature √ 			

- 2.2.7
 - (Any 1) Amount of available CO₂ ✓ (1)
- 2.2.8 The light intensity is directly proportional to the rate of photosynthesis √√ OR
 - When the light intensity increases or decreases ✓ the rate of photosynthesis increases or decreases. ✓
- 2.3 1 – Endothelium ✓ 2.3.1
 - 2 Squamous epithelium ✓ (2)
 - 2.3.2 3 – Erythrocyte/Red blood cell ✓ (1)
 - 2.3.3 Haemoglobin ✓
- (1)
 - 2.3.4 (a) Deoxygenated blood ✓ (1)
 - Oxygenated blood ✓ (b) (1)
 - 2.3.5 Many alveoli provides large gaseous exchange surface. ✓
 - The inner surface is kept moist by film of moisture, to facilitate diffusion of oxygen and carbon dioxide in dissolved state. ✓
 - The lining of alveolus is thin; only one cell layer thick for rapid diffusion of gases. ✓
 - Are in close contact with blood capillaries; blood contains haemoglobin which acts as an oxygen carrier. ✓ (Any 3) (3)

(2)

QUESTION 3

3.1	No	AEROBIC RESPIRATION	ANAEROBIC RESPIRATION	-
	1 Breaks down glucose in presence		Breaks down glucose in absence of	
		of oxygen. ✓	oxygen. ✓	
	2	Glucose is completely broken	Glucose is broken down into alcohol or	
	3	down to CO₂ and H₂O. ✓	lactic acid and CO ₂ .√	
	4	Takes place in mitochondria. ✓ The CO₂ and H₂O formed during	Takes place in the cytosol only. ✓ The alcohol/lactic acid formed during	
	-	the process can be excreted. ✓	the process accumulate and become	
		and proceed can be exercised.	poisonous. ✓	
	5	Releases more energy due to	Releases less energy because the	
		complete breakdown of glucose. ✓	glucose is not completely broken down. ✓	
			1 mark for the table (Any 3 x 2)	(7)
3.2	3.2.	I (a) D ✓ Contains proteins/hig	hest flow rate ✓	(2)
		(b) B ✓ High concentration of		(2)
		` '	ım ions and the urea is lower in	(0)
		concentration than in (d) A ✓ Has the highest concentration		(2)
	0.00			(2)
	3.2.2		of the heart beat/arterial blood.	
		 Flow rate decreased in glom of capillaries/flow divided int 	nerulus ✓ because of smaller diameter	
		•	e fluid passes through membranes ✓	
			id enters capsule where pressure of	
		heartbeat is absent. ✓		
			has to squash out through smaller	
			arteriole ✓ therefore slows the flow rate	
		down.	(Any 4)	(4)
	3.2.3			
		Re-absorption/regulation of general control contr	_	(-)
		 Osmoregulation √ 	(Any 2)	(2)
3.3	3.3.	Number of rabbits – No.in 2 nd s	sample 2 nd sample ✓ X No. originally marked ✓	
			2 nd sample	
		$\frac{25}{5} \checkmark x 15 \checkmark = 75 \checkmark$		(5)
	2.2.6	-		(3)
	3.3.2	 I he area sampled might be prefer. √ 	one that rabbits preferred/did not	
		 Some rabbits may have emi 	arated/immigrated ✓	
		 Some rabbits may have died 		(2)
	3.3.3	•		(-)
	3.3.	•	y times and finding the average	
		estimate. √	y times and infamily the average	(2)
3.4	3.4.			(-)
J. T	J. T .		uals ✓ that can be supported by the	
		environment √ under conditions	• • • • • • • • • • • • • • • • • • • •	(2)
	3.4.2			` '
			y over time ✓ which involves species in	
		one stage being replaced by diffe		(2)

- 3.5 The double membrane is highly permeable ✓ and allows water and carbon dioxide to enter easily. ✓
 - The grana contain chlorophyll ✓ to trap sunlight. ✓
 - The grana are made up of thin flat discs called lamellae ✓ that present a large surface area for the absorption of sunlight. ✓
 - The stroma contains enzymes √ for the reactions of the dark phase.√
 - Ribosomes in the stroma ✓ synthesise enzymes for photosynthesis. ✓
 - Starch granules ✓ are present to temporarily store the starch that is produced. ✓ (Any 3 x 2) (6)

[40]

TOTAL SECTION B: 80

(NOVEMBER 2013) LIFE SCIENCES P1 7

SECTION C

QUESTION 4

4.1 Homeostasis is the ability of a living organism to maintain a constant ✓ internal environment ✓ irrespective of changes in the external environment ✓ e.g. ability to maintain constant (correct level) glucose concentration level of the blood. ✓ Two hormones, insulin ✓ and glucagon, ✓ secreted by the islets of Langerhans ✓ in the pancreas ✓ control the concentration of glucose level of the blood.

When the blood sugar level is higher ✓ than normal ✓, the hormone insulin is secreted. ✓ The release of hormone insulin reduces the level of glucose ✓ in two ways. Firstly, it increases the rate at which glucose is absorbed ✓ by the cells of the liver and muscles. ✓ Secondly, it stimulates the conversion of glucose into glycogen ✓ and fat in the liver and muscles. ✓

When the blood sugar level is lower than normal, ✓ the hormone glucagon ✓ is secreted. The hormone glucagon stimulates the conversion of stored glycogen ✓ in the liver, ✓ into glucose. ✓ This glucose is released into the blood in order to raise the level of glucose back to normal level. ✓

When insulin is not secreted in the body the glucose level of the blood rises. ✓ This condition is known as *diabetes mellitus*. ✓ The kidney excretes some of the glucose in the urine. ✓

There are two types of *diabetes mellitus*. Type 1 diabetes occurs when the pancreas stops producing insulin. ✓ People who have Type 1 diabetes must inject insulin to survive. ✓ Type 2 diabetes is caused by the secretion of insufficient quantity of insulin. ✓ This condition can be treated successfully without medication ✓ by making certain adjustments in the diet.

The symptoms of *diabetes mellitus* are presence of glucose in the urine, \checkmark extreme thirst, \checkmark nausea/vomiting, \checkmark weight loss, \checkmark fatigue, \checkmark non-healing wounds \checkmark and frequent urination. \checkmark

The treatment and management of this condition include regular exercise, \checkmark following a prescribed diet \checkmark and using prescribed medication. \checkmark

Synthesis (3)

(17)

Marks	Descriptions
3	Well structured – demonstrates insight and understanding of question.
2	Minor gaps in the answer.
1	Attempted but with significant gaps in the answer.
0	Not attempted/nothing written other than question number.

TOTAL SECTION C: 20 GRAND TOTAL: 150