

NATIONAL SENIOR CERTIFICATE

GRADE 11

NOVEMBER 2014

LIFE SCIENCES P2 MEMORANDUM

MARKS: 150

This memorandum consists of 10 pages.

SECTION A

QUESTION 1

1.1 1.1.1 A ✓ ✓

1.1.2 A ✓✓

1.1.3 B ✓ ✓

1.1.4 C ✓✓

1.1.5 A ✓✓

1.1.6 D ✓ ✓

1.1.7 C ✓✓

1.1.8 D ✓ ✓

1.1.9 D ✓ ✓

1.1.10 B $\checkmark\checkmark$ (10 x 2) (20)

1.2 1.2.1 Prokaryote ✓

1.2.2 Through gut ✓

1.2.3 Angiosperms ✓

1.2.4 Antigens √/ vaccines

1.2.5 Fermentation ✓

1.2.6 Eutrophication ✓

1.2.7 Coelom ✓

1.2.8 Decomposers ✓

1.2.9 Monoculture ✓

1.2.10 Biological control \checkmark (10 x 1) (10)

1.3 1.3.1 B only ✓ ✓

(NOVEMBER 2014)


- 1.3.2 Both A and B ✓✓
- 1.3.3 B only ✓ ✓
- 1.3.4 Both A and B ✓✓
- 1.3.5 Both A and B ✓✓
- 1.3.6 A only ✓ ✓
- 1.3.7 None ✓ ✓
- 1.3.8 A only ✓✓
- 1.3.9 A only ✓✓
- 1.3.10 None $\checkmark\checkmark$ (10 x 2) (20)

TOTAL SECTION A: 50

SECTION B

QUESTION 2

2.1 2.1.1



Guideline for the assessing of the graph

Correct type of graph	1
Title of graph	1
Correct label and scale of x-	1
axes	
Correct label and scale of y-	1
axes	
Plotting of points	1: 1 to 3 points plotted correctly
	2: all 6 points plotted correctly

NOTE:

If the wrong type of graph is drawn, 3 marks will be lost for:

- 'Correct type of graph
- · 'Plotting of points'

If labels of the axes are transposed then 2 marks will be lost for:

'Correct label and scale for X-axis and Y-axis'

2.1.2 Eastern Mediterranean=
$$\frac{1\ 000}{14\ 000}$$
 x 100 \checkmark
= 7,1% \checkmark (2)

	2.1.3	They are developed countries ✓ with low levels of poverty ✓/ good health and social infrastructure. / Most people are well-nourished ✓ and do not live in crowded / dirty / unhygienic conditions. ✓ (Any 1 x 2)	(2)
2.2	2.2.1	 Wear rubber gloves ✓ when taking the samples so as not to get contaminated with germs. ✓ Samples should be taken using a container/bottle attached to a string ✓ to avoid stepping too close to the river bank ✓ / prevent drowning / prevent falling into the river / prevent contamination. (2 x 2) 	(4)
	2.2.2	Temperature of the human body \checkmark at which bacteria normally lives \checkmark / $E. coli$ normally lives in large intestine of humans / to allow bacteria to reproduce.	(2)
	2.2.3	Lack / absence of proper sewage system ✓ / poor hygiene results in faeces getting into the water. ✓	(2)
2.3	2.3.1	1 – Gametophyte ✓ 2 – Gametes ✓ 3 – Zygote ✓ 4 – Sporophyte ✓	(4)
	2.3.2	(a) fertilisation √(b) meiosis √	(2)
	2.3.3	(a) Protonema √(b) Prothallus √	(2)
2.4	2.4.1	Platyhelminthes ✓ and Arthropods✓	(2)
	2.4.2	 Provides an efficient hydrostatic skeleton √/ provides support Provides space for the extensive growth of organs. √(Any 1 x 1) 	(1)
	2.4.3	Bilateral symmetry ✓	(1)
2.5	2.5.1	4 ✓	(1)
	2.5.2	7 ✓	(1)
	2.5.3	Stigma is higher than the anther. ✓	(1)

	2.5.4	 It has a well-developed vascular system. ✓✓ Sexual reproduction is independent of water. ✓✓ Fertilisation occurs by means of pollinators. ✓✓ Have true roots stem and leaves ✓✓ Sporophyte is the dominant generation. ✓✓ Produce seeds. ✓✓ (Any 1 x 2) 	(2)
2.6	2.6.1	As years go by, ✓ rhinoceros hunting ✓ is increasing. ✓	(3)
	2.6.2	Number of rhinos hunted. ✓	(1)
	2.6.3	The year in which rhinos are hunted. ✓	(1) [40]
QUE	STION 3		
3.1	3.1.1	 (a) C √ (b) A √ (c) A ✓ and B ✓ and C ✓ (d) B ✓ 	(5)
	3.1.2	Advantage: Since it is hard, it protects the animal against mechanical injury. ✓ It provides points of attachment for muscles. ✓ (Any 1 x 1)	
		<u>Disadvantages:</u> Since it is impermeable, no gas exchange can occur. ✓ Cannot stretch to accommodate growth of the body. ✓ New soft exoskeleton does not offer much protection. ✓(Any 1 x 1)	(2)
	3.1.3	 No mixing of food ✓ because it moves in one direction. ✓ It allows digestion to take place ✓ continuously. ✓ The gut is specialised ✓ where different regions become adapted for specific functions. ✓ (Any 1 x 2) 	(2)
	3.1.4	Mesoderm ✓	(1)
3.2	3.2.1	1997/2001, ✓ 12 months of records are shown on the graph. ✓	(2)
	3.2.2	January/February/November/December √/ summer months	(1)
	3.2.3	CFC (Chlorofluorocarbon) ✓ HFC (Hydro fluorocarbon) ✓	(2)

	3.2.4	 a reduction in stratospheric ozone will increase the quantity of UV-B rays. ✓ thus reducing the effectiveness of producers in food chains. ✓ A reduction in producers leads to a reduction in consumers. ✓ 	
		 Its depletion in the stratosphere causes more harmful UV-B rays to reach the earth. ✓ which will destroy enzymes essential for photosynthetic pathways. ✓ (Any 2 x 2) 	(4)
	3.2.5	Yes ✓ It damages all forms of life and also grasslands and succulent-Karoo which are dry areas and particularly prone to desertification. ✓	(2)
3.3	3.3.1	1982: 150 kg/year ✓ 2000: 138 – 145 kg/year ✓	(2)
	3.3.2	The yield decreased ✓ and then came back to the former production. ✓	(2)
	3.3.3	The production has remained low ✓ between 125 kg/year and 175 kg/year ✓ for 20 years. ✓ It has not changed very much. ✓ (Any 2 x 1)	(2)
	3.3.4	The data shows that even though the population in Africa has grown, ✓ the food production has not increased in line with the growth. ✓ This makes food security unsure for the future. ✓	(3)
3.4	3.4.1	Primary carbon footprint is the carbon emitted by the direct involvement \checkmark activity of a person while secondary carbon footprint is the emissions due to indirect involvement \checkmark consumption /services.	(2)
	3.4.2	Home – gas, oil, and coal. ✓ Recreation and leisure ✓	(2)
	3.4.3	Public transport √ and financial services. √	(2)

- 3.4.4 R Reduce heating cost √/ use blankets and warm clothes / hot water bottles.
 - U Use public transport. √/ use bicycles.
 - N Never leave electrical appliances switched on that are not being used. ✓
 - B Buy products that have less packaging to reduce waste. √
 - T Turn off the geyser when not in use. ✓
 - Use light bulbs that are carbon friendly. ✓
 - Buy local products √/ fresh products
 - Use unleaded petrol ✓
 - Educate people about the impact of the carbon footprint.
 - Reduce the use of paraffin and coal (Any 4 x 1) (Accept any reasonable answer) (4) [40]

TOTAL SECTION B: 80

(NOVEMBER 2014) LIFE SCIENCES P2 9

SECTION C

QUESTION 4

4.1 Waste management strategies:

1. Landfill management and recovery of energy from burning it. ✓

- Utilise the heat generated from the burning of landfill sites ✓
- to generate electricity thus saving on the electricity bill √for heating and cooking.
- Investigate methods to collect and utilise methane gas as a fuel. ✓
- Place plastic liners under landfill sites during construction. ✓
- to prevent leaching from waste into groundwater √/ rivers/oceans.
- Rehabilitate old landfill sites to prevent pollution. ✓/
 phytoremediation.

2. Recovery and recycling ✓

- Encourage citizens of the city to put different types of waste into different waste containers/bins of different colours. ✓
- Partnership with recycling companies for improved collection of different waste. ✓
- Fines for people that do not separate the waste into different bins. ✓
- This could generate income and reduce transport costs. ✓
- Educate people on how to use organic waste √
- for example to make compost which could fertilise soil, so they can plant vegetables. √
- New products can be made from recycled materials. ✓
- which benefits the economy by creating employment √/ alleviate poverty.
- Clean up dumping sites and build useful facilities like sports fields. ✓

3. Educate citizens and companies to reuse waste. ✓

- Glass containers for milk, cold drinks and alcohol etc. ✓
- This will reduce the need to produce more of these items ✓
- thus saving energy and money. ✓

4. Reducing waste√

- Charge/penalise people extra if they generate more waste. ✓
- Encourage citizens to manage waste more efficiently/renewable. ✓
- Reward those who manage efficiently. ✓
- Recycle, re-use and reduce waste. ✓

(Maximum 4 marks per strategy) (17)

Relevance (R)	Logical Sequence (L)	Comprehension (C)
All information	Ideas are arranged in	In the body of the
provided is relevant to	a logical manner by	essay, minimum 12
the essay	answering the	relevant points out of
	question under	the 17 maximum
	different headings.	points are stated.

Synthesis (3)

TOTAL SECTION C: 20 GRAND TOTAL: 150